



TOOL CATALOG

c.a. newell co.

735 Northlake Way/Seattle, Washington/MElrose 2-9330

E.124-126 Montgomery/Spokane, Wash./FAirfax 7-9505

AIRWAY

No. 6



THE MODERN "ENGINEERED" KNIFE

- Bridges your knuckles
- "Reaches out" to make clean cuts


Here is the right knife for every job! Developed by Selck to provide a better knife, with interchangeable blades for the floor covering trades, it has rapidly become a favorite with all types of craftsmen.

The blade can be changed from one type to another or replaced, easily and quickly, simply by loosening a single screw. The square hole quickly and

firmly seats the blade in proper position.

The smooth cast aluminum handle fits the hand—note the finger contours! A firm, easy, natural grip. (See also illustration on front cover of this Catalog.


No. 9-6 Knife with one No. 25 blade.
(Order extra blades below.) Dealer
Net Ea. \$1.15.



AIRWAY NO. 25 STRAIGHT DOUBLE-END BLADE. General-Purpose; fine for vinyl; asphalt tile; wall board;



AIRWAY NO. 26 HOOK BLADE. Excels for sheet vinyl, linoleum and felt base cutting.



NO. 27 ANGULAR. Heavy-duty. Cuts vinyl, asphalt tile, padding. Scribes.

Be Sure to Order Extra Blades

Sharp blades mean fast, clean, easier work. Be sure you have an adequate supply of every type you use with your Airway No. 6 Knife in your tool kit at all times. A dull or broken blade is false economy! Airway Blades are tool steel, precision ground to "razor-edges."

All prices below are net to dealer, F.O.B. Chicago, Ill.

Blades packaged and sold only by the dozen of one type.

- No. 9-25 Airway Straight, Double-End Blade . . . Doz. \$1.00
- No. 9-26 Airway Hook, Style Double-End Blade . . . Doz. \$2.25
- No. 9-27 Airway Angular Heavy-Duty Blade . . . Doz. \$2.80

Selck's



"WARD" No.5


• Popular All-Purpose Knife • Adjustable • Four Interchangeable Blades



NO. 11 FLEXIBLE BLADE. For carpets, padding, resilient, flexible materials.



NO. 12 REGULAR. For medium wt. sheet goods, tile,



NO. 13 HEAVY for vinyl, all heavy cutting, fitting.



NO. 14 HOOK. For felt-base, printed goods, roofing.

- One Knife Makes All Cuts
- A Blade for Every Job
- The Knife with Depth Gauge

A favorite with mechanics in all phases of floor covering. Blades quickly changed, or adjusted back and forth; up and down. Hook of straight blades acts as stop; rotation point in adjusting. Tool-steel, razor-sharp blades for fast, clean, no-bunch cuts.

No. 9-5 KNIFE with 1 No. 12 blade. Ea. \$.85; . Doz. \$9.60

BLADES ONLY:

9-11 Ea.	\$.15;	Doz. \$1.50
9-12 Ea.	.20;	Doz. 1.85
9-13 Ea.	.25;	Doz. 2.25
9-14 Ea.	.25;	Doz. 2.25



SHARPENING STONE WITH HANDLE

Coarse and fine grit No. JT-9

Net Each. \$1.85

BAYONET SAW BLADES

Lesto fine, medium or coarse, 5 to package Net Each \$.90

#24153 Porter Cable 10-T W.C. Long	(6 to Pkg.)	Net ea.	\$.69	\$4.10 Pkg.
#24154 Porter Cable 10-T W.C. Short	(6 to Pkg.)	Net ea.	.66	3.95 Pkg.
#24155 Porter Cable 10-T M.C. Long	(6 to Pkg.)	Net ea.	.79	4.60 Pkg.
#24156 Porter Cable 14-T M.C. Short	(6 to Pkg.)	Net ea.	.42	2.50 Pkg.
#24158 Porter Cable 24-T M.C. Long	(6 to Pkg.)	Net ea.	.42	2.50 Pkg.
#24161 Porter Cable 10-T W.C. Wide	(6 to Pkg.)	Net ea.	.90	5.35 Pkg.

FAMOUS DEXTER knives

- Blade Replaceable
- Interchangeable

Popular, quality knife. 2½-in. blades quickly changed. Be sure to order some "spares."


NO. 9-10-D - COMPLETE HANDLE ONLY. Net Each \$.87; Dozen \$9.36

NO. 9-752½D - DEEP-HOOK BLADE. Thin. Net Each \$.87; Dozen \$9.36

NO. 9-X2AD - SHALLOW-HOOK BLADE. For felt-base etc. Net Ea. \$.70; Doz. \$7.80

NO. 9-252½D - BLADE. Net Ea. \$.51; Doz. \$5.46


NO. 9-V752½D - VINYL BLADE. Ea. \$.70; Doz. \$7.80



DEXTER RIVETED-HANDLE KNIVES




No. 752½ - Best Quality. Deep Hook



No. 742½ "Harrington." Deep Hook



No. 252½ - Shallow Point model



No. X2942 - Good Grade; 2" blade



No. 752½ A long-time favorite with mechanics who prefer a knife with fixed handle. The highest quality in a linoleum knife. Tempered, razor-keen, 2½ in. blade. Deep Hook. Round burnt brown handle. Doz. to pkg. or individually.

No. X2A Same as above except shallow Hook.

No. VX752½ Same as above except with vinyl grind
Net Each ... \$.97; Dozen \$9.50

No. 742½ Dexter-Harrington knife, with sharp 2½-in. deep hook blade for all types of linoleum work; all-around use. Round black handle.

No. 9-742½ Net ea. ... \$.86; Doz. ... \$8.75

No. 252½ A quality knife especially for felt-back goods, wall covering, etc. Shallow-point 2½-in. keen blade. Round burnt handle. Packed by doz. or individually.

No. 9-252½ Net ea. ... \$.80; Doz. ... \$7.65

No. 2942 A good grade utility knife with 2" blade, small oval handle. Doz. Pkg.


No. 9-2942 BLACK Hdle. Ea. \$.60
Doz. \$5.95

No. 9-2952 BROWN Hdle. Ea.65
Doz. 6.40

STANLEY TRIMMING KNIFE: Uses replaceable blades. Holds blades firmly in split aluminum handle. Packed individually. Five blades included - **No. 199 Stanley Knife** Net ea. \$1.45

No. 1991-C Stanley replaceable straight blade (5 to pkg.) Net pkg. . \$.50

No. 1996-S Stanley replaceable hook blade (5 to pkg.) Net pkg. . \$1.50




DRESDEN

CORRECT TROWELS

for ADHESIVE APPLICATION

Detail below of notch patterns is in actual size, as indicated.




Uses indicated below are a general guide only. Selection of trowel depends upon material being spread and the workman. Be guided by mechanic's experience and recommendations of cement manufacturer (usually on the label).

First detail at left shows fine square-tooth pattern for linoleum, linoleum tile, asphalt tile, wall coverings.


7M51R Right-Hand, Front angled, Extra flexible. Net \$2.60

7M-51L Left-Hand, Otherwise same as above. Net \$2.60



Fine v-notches, wide-spaced for vinyl floor tile and rubber tile application. Flexible steel. Blade angled in front.

7M-516 Right-Hand only. Net price, each \$2.60




Deep rounded v-notches for volume application of 1/4-in. thickness, often preferred for wall application of metal tiles, including aluminum. Flexible steel blade.

7M-533 Right-Hand only. Net price, each \$2.60



Fine, rounded notches generally preferred for vinyl-asbestos, Excelon type tiles. Front of blade angled for easier application of adhesive in corners. Flexible steel.

7M-513 Right or Left Hand. Net Price, each \$2.60




Wide-spaced, rounded, deep notches often used for ceramic and plastic wall tile application, especially the larger sizes. Square ends. Flexible steel blade.

7M-557 Right-Hand only. Net price, each \$2.60




Moderately deep v-notches, equally spaced, generally for use in plastic, ceramic and metal wall tile applications. Flexible steel blade.

7M-539 Right or Left Hand. Net Price, each \$2.60



Deep v-notches, equally spaced for use where heavy application of adhesive is desired for ceramic or metal tile (including aluminum). Flexible blade with square ends.

7M-534 Right-Hand only. Net price, each \$2.60



Deep, equally spaced square notches for heaviest application of material. Used for Ceramic tile setting jobs with thin-set mortar. Flexible blade with square ends.

7M-444 Right-Hand only. Net price, each \$2.60

PORTER CABLE POWER TOOLS



64⁹⁵

7/8 H. P. ROUTER, Model 100 AB

This router is widely used by both craftsmen and builders. The home user can do his own grooving, weather-stripping and shelving as well as cutting all types of decorative edges, corners, and surfaces. Builders use it for a countless variety of jobs on wood, plastic and compositions. The Model 100 features an interchangeable motor that may be used with the 100-P or 1102 Plane Attachments, or the 150-S or 5004 Shaper Table Attachments.

Model 100 includes Motor (100-M) with 10' 3-conductor Cord, 1/4" Collar (PR-26), 2 Wrenches (PR-27), and Operating Manual, together with Base Assembly (100-B).

1/4" DRILL, Model 515

AD

One of the finest heavy-duty 1/4" drills ever built. The Model 515 features full ball bearing construction and compound reduction gears that deliver maximum power to the spindle. Helical teeth on the armature pinion and first reducing gear results in greater drilling strength and quieter operation. The 3 amp. motor is powered for continuous drilling. A large fan combined with ample air vents assure a cool-running drill even after hours of work. May be used with accessory No. 5009 Drill Press.



54⁵⁰




**Kett Saw head only
59⁰⁰**

\$113.50 Complete

KETT UNIVERSAL POWER SAW A keen new answer to cutting problems

Here is an up-to-the-minute tool... compact, sturdy, powerful and amazingly easy to use. The Universal Saw cuts plastic and other soft materials up to 1/4" thick, aluminum up to 3/16" thick and on intermittent cuts on mild steel up to 12 gauge. The especially designed lead guide enables any operator to follow contours and cut shapes of 6" radius or larger in minimum time and with a smooth milled finished edge.

An absolute must for the on-the-job application by professional mechanic installing G-E Textolite, Formica or other plastic laminates. Used principally for cutting plastic to size before application and trimming with router.



LAMINATED PLASTICS TRIMMING KIT

Here is a kit that contains everything needed to do a complete plastics trimming job in less time and without costly errors. The kit has a carbide-tipped combination bit which accomplishes both flush and bevel trimming, a non-marking nylon guide roller, and a micrometer screw for accurate adjustments.

Model 5023
TRIMMER KIT
For 100, 150, 162, 511, 532,
536, 537 Routers

Consists of:
5023-3Y Roller Carrier Assembly
5023-6 Sub-base
5023-8 Combination Bit
Price each:

5023-3Y Roller Carrier Assembly	6.00
5023-6 Sub-base	2.50
5023-8 Combination Bit	7.00


15.50 Complete

SPECIAL CARBIDE TIPPED ROUTER BITS

FOR TRIMMING  TEXTOLITE

CARBIDE-TIPPED TOOLS

Carbide-tipped working tools are the answer to obtaining a smooth finish in a minimum of time and long tool life at a minimum cost. The roller guides have sealed steel ball bearings for long life.



TRIMMERS WITH BALL BEARING GUIDES

- No.4-W - - 5/16" Straight Face 16.50 set
- No.4-WT-10 - 5/16" - 10° Taper 17.50 set




405-C



408-CT



408-C



5023-8

Stock No.	Item	Shank Diam.	Cut Diam.	Carbide Length	Price each
405-C	Seaming Bit	1/4"	5/16"	1"	10.00 ea.
408-C	Straight Bit	1/4"	1/2 "	1"	12.00 ea.
408-CT	Combination Bit	1/4"	1/2 "	1-3/16"	12.00 ea.
5023-8	Porter-Cable Combination Bit	1/4"	1/2" "	1/2"	7.00 ea.

EXCHANGE SERVICE


Immediate exchange at 50% of the price of new bits and trimmers, regardless of condition (includes sharpening, removal of nicks, or retipping).

CHESTERMAN BETTER TAPES

Plastic-Coated Treble Metallic

Tough fabric with interwoven solid copper wire, coated with durable, smooth plastic, for ease of handling, and extra-long life.


Twist it, drag it, crumple it . . . you'll find it almost impossible to crease or scuff this tape. Figures and marks bonded to fabric by an exclusive process to make them easy to read for the entire long life of tape. Finest solid leather cases with solid brass fittings. In 3 popular lengths, all 5/8 in. wide.



**MAYBE YOU DON'T WALK ON YOUR TAPE,
BUT YOU CAN IF IT'S A CHESTERMAN**

Lgth.	Tape No.	Tape Net	Refill No.	Refill Net
25'	9-605	\$ 6.15 ea.	9-606R	\$2.35 ea.
50'	9-610	7.90 ea.	9-611R	4.30 ea.
100'	9-615	12.25 ea.	9-161R	8.15 ea.

AIRWAY T-Squares & Straight-Edges



Hi-Loy Steel is a remarkably tough, rust-resistant alloy of copper and chromium. These superior tools are precision made for accurate, efficient work. Correct weight to hug floor. All edges machined and ground-clean, straight and true. Cross-T of the T-square is firmly offset and welded accurately in position for square fit against goods being worked.

All are 3 in. wide and 1/8 in. thick. Extremely rugged for long-lasting accurate work. Brad hole in end for enchorage. Tools that pay for themselves!

0-1116 T-Square, 75". Net 12.50

No. 3312 Tape. Net ea. \$3.75
No. 12X Refill. Net ea. 1.50



GREENCO PRECISION STRAIGHT EDGES



Special hard steel, milled and polished precision straight edges, top quality for precision floor covering work.

No. 1204 48" long 45° angle one end Net. Each \$12.95
No. 1206 75" long 45° angle one end Net. Each 18.95



AIRWAY POLYPHASE SCRIBER


The Most Versatile of all Scribes

Long a favorite with mechanics who appreciate fine tools. Illustrations below show the many ways in which this scriber can be used, with the various attachments and

accessories listed. Efficient, durable and practical. U.S. Patent No. 2287601.
9-11A Airway Polyphase Scriber as shown above with 8" bar. Net **\$3.60**


WILKEE DIVIDERS and SCRIBERS

Wilkee 6" extension dividers with special lock nut for accuracy. A sturdy tool. Cadmium plated. Each set lock nut holds rigid in any position for accurate inscribing. Length 6 1/4". One leg can be extended.
No. 506 Net. Each **\$3.85**




WILKEE DOUBLE HINGE SCRIBER

A long time favorite of good floor mechanics everywhere. Compact. Fast. Easy to use. Nickle plated. Needles adjust to depth desired. For almost all types of scribing. Length 2-7/8".
No. 76 Net. Each **\$6.30**



WILKEE OUTSIDE CORNER SCRIBER

Another precision Wilkee Scriber for the skilled mechanic. Nickle plated. Length 4"
No. 75 Net. Each **\$3.50**




WILKEE SCRIBING NEEDLES

No. 1	Length 9/16"	Net Pkg.	\$.35
No. 2	Length 3/4"	Net Pkg.	\$.35
No. 21-N	for 1449, 11-S	Net Pkg.	\$.35

OVER-THE-COUNTER TROWELS

LOW PRICES — FAST SELLERS

- No. 1022-51A** Floor Trowels. Net . 3.80 doz.
- No. 1022-513** Floor Trowels. Net . 3.80 doz.
- No. 1022-539** Wall Trowels. Net . 3.45 doz.



Selcraft SCRIBER



Compact • Versatile • Precise

A versatile, precision tool for nearly all types of close scribing requirements. Durable bar and bar housing of anodized aluminum. Guide is stainless steel.

A simple turn of top screw allows easy adjustment for under-scribing, butt-scribing and feature-strip scribing.

By merely reversing the bar, you use this tool as a bar scribe around wall bases and in many other difficult situations. Only 6¼ inches long. Weighs only 3 oz. Easy to carry in pocket or tool box. A useful, economical tool.

9-1449 Scribe Complete. Net Ea. \$2.25

OSBORNE CARPET HAMMER. A tool mechanics are proud to use . . . professional in design and fabrication. Perfect balance. Forged 1-piece steel — tempered, machined, polished. Non-splintering hardwood grips. Machined 3/8" claw.

9-1420 Osborne Hammer. Net \$7.40



Wall-Master Tile Cutters

For Retail, Rental or Occasional Use

A rugged, accurate cutter for the pro who has limited need for a plastic tile cutter as well as for rental service and retail.

Cast aluminum base. Hardened steel blades. Notched lower blade takes all standard tile; cap and feature. Precision rule. Compact.

9-1515 Cutter Complete. Net Each \$9.50

9-1515-UBL Top Blade Replacement. Net Ea. 2.00


9-1515-ABL Lower Blade. Net Each 1.50



Selcraft

HOT-FOOT Plastic Tile Cutter

Electric



Just plug it in and handle it like a pencil, for straight or irregular cuts! Pure beryllium copper tip cuts clean, fast at 1000°! Easy to carry; economical. Pays for itself or irregular cuts alone. Welding tips available.

9-1-A CUTTER COMPLETE with handle, element, Cutter Blade.
Net. Ea. \$6.95

9-30-CO Cutter Blade only. Net ea... 2.50

9-20-HE Heat Element only. Net ea... 2.50

9-40-CW Corner Weld Tip. Net ea.... 2.50

9-50-JW Joint Weld Tip. Net ea..... 2.50

DTA* 86 TILE SAW

3/4 hp TILE SAW

at Less than the
cost of 1/2 hp



PORTABLE. Weighs only 47 lbs. with all accessories. Weight is balanced.

3/4 H.P. MOTOR. Dayton motor with V-belts and pulleys completely protected by cast aluminum guard.

QUICK BLADE ADJUSTMENT. Blade may be raised or lowered for scoring or cutting, or when changing to 6" or 8" blades.

DTA* DIAMOND BLADE INCLUDED. DTA* 6" Type T-1 tile saw blade developed by DTA* for tile cutting.

PRESSURE COOLANT SYSTEM. Self priming pump with neoprene impeller floods both sides of blade with twin jets of water at all times. Needle valve controls flow.

INTAKE FILTER on pump inlet eliminates costly repairs caused by foreign matter entering pump.

ROLLING TABLE. Large 8 1/2" x 15" table rolls smoothly and automatically adjusts for wear.

TUBULAR STEEL FRAME cadmium plated to prevent rust, fits standard #63 tub which serves as soaking tub as well as coolant storage.

SEALED BALL BEARING MANDREL has zerk fitting for easy lubrication.

\$199.95

**DTA Diamond
Cutting Blade**

6" x .050

18.95


FINEST QUALITY. Propane gives fast, clean, efficient heat for asphalt, vinyl-asbestos—general purpose use. Tanks empty; have filled locally.

(A) **TIP ASSEMBLY.** Fits mutual torches, scooters.

9-491-5 Net price \$5.25

(B) **TRIGGER VALVE.** Instant on-off for small attached tank. Saves fuel. Screw on tank controls flame.

9-1C-5 With No. 5 Tip.. \$12.25



9-1C
Trigger Valve
Only 8.75

(E) **TRIGGER TORCH.** Fast on-off; saves fuel. Use with hose and cylinder.

9-77 W/thumb screw for flame \$22.80

PLAIN TORCH WITH SUPPORT (F).

9-79 Like (E); NO Trigger-V. \$15.85

(F) **SUPPORT ONLY.** 9-76 Net, \$1.50

(G) **LONG TORCH.** Use standing; no stoop. Cool plastic grip. Thumb screw for flame.

9-81-9 Net \$17.40

(H) **LONG TORCH WITH TRIGGER VALVE.**


Otherwise like (G); 9-82-9-2T Net .. \$27.15

(J) **HOSE.** For cylinders, torches, these pages.

4-FT. **FILLER HOSE.** 58 nut 1 end; male POL. 9-51 Net \$4.20


10-FT. **TORCH HOSE.** 9-78 Two 58 nuts \$5.95 9-80 Male POL 1 end; nut on other \$5.95

FILLER ADAPTER. 9-71-A Net \$2.60



(C) **HAND TORCH.** Cylinder meets ICC code. Mutual's Multiple Valve 10%, Spring Relief, Fill and Outlet connections. Holds 0.91 lbs. With (A) left. Thumb-screw flame control.

9-B-91 Net price \$17.40




(D) **WITH TRIGGER VALVE** Instant on-off—economical; saves propane. Torch same as (C) at left.

9-B-91-1C Net \$23.90

TANK ONLY. Main valve.

9-B-91-T Net \$12.15




CYLINDERS. For Vapor Withdrawal only.

9-V-6 Holds 5 lbs. Multiple valve fits 58 nut on No. 9-491-5 Tip. \$22.35


9-V-11 12 lbs. Multiple valve. \$24.30

9-V-21 20 lbs. Multiple valve. \$25.00



CYLINDER. For liquid withdrawal only. Holds 20 lbs. POL valve. Use to refill Torches above. (Hose not included.) 9-LW-20


Net \$25.40




CYLINDER.. Two valves for liquid or vapor withdrawal. Holds 20 lbs. Use with either torch (C) or (D) above.

9-LVW. 20
Net \$27.00

FOR FAST HEAT WHERE EVER NEEDED



(M) TORCH
HOLDER
Fits any Mutual Cyl-
inder, as shown on
these two pages. Con-
venient, safer.
9-75 Net..... \$ 2.00



"SCOOTERS" PROVIDE EFFICIENT, PORTABLE HEAT; LONG OPERATION
(K) (L) Especially preferred for resilient Thumbscrew control only.
6 Cylinder (vapor withdrawal type) is 9-5-6 Dealers' net price \$31.70
is mounted on a sturdy, detachable base with
smooth-rolling casters. Tank holds 5 lbs.
of propane—sufficient for two to three days.
(K) WITH TIP ONLY. Same tip assembly
as (A) described on opposite page. (L) WITH TRIGGER VALVE. Same as-
sembly as (B), described on opposite
page. Saves propane. Gives instant on-off
control. Thumb screw controls flame size.
9-5-6-1C Dealers' net price..... \$36.70

Gelck's MASTER HEAT GUN

- CLEAN, QUICK HEAT FROM ELECTRICITY
- USE ON VYNYL, ASPHALT, LINOLEUM
- WON'T BLISTER ON EITHER SIDE OF GOODS

A lightweight, easily-portable heat source no mechanic should be without. No open flame. Adjustable air intake for controlling air blast temperature. Powerful motor with quiet, efficient turbo fan. Sturdy construction throughout. Includes 8-ft., neoprene-jacketed heavy-duty cord with 3-prong plug and "pig-tail" 2-prong adapter. For standard 110- to 120-V AC.

9-HG-751 Range 750 to 1000° F. Net..... 52.00



PLASTIC FOAM SPONGES

6" x 4" x 2" packed 10 sponges per plastic bag.
Net. Each per bag. \$1.50

MORE PRESSURE PER

SQUARE INCH

*with the
smaller
diameter
of this revolutionary*

CRAIN LINO
ROLLER!



The weight is the same but the performance of this compact new Crain roller surpasses that of bulky, old-fashioned rollers. The difference lies in the Lino Roller's smaller diameter, made possible by its unique construction, the first major improvement in rollers since 1910!

To provide a smoother, easier-to-maintain roller, Crain's Lino Rollers use seamless, 1/4" thick steel tubing as the outside shell! (See cross section.) Next these shells are expertly jugged, then filled with lead to provide floor covering mechanics with a brand new type roller—slimmer in shape and easier to handle . . . exerting more pressure per square inch than any other roller on the market today and the steel handle is detachable.


- No. C-75 - 75 lb. Net. Each \$42.00
- No. C-100 - 100 lb. Net. Each 51.50
- No. C-150 - 150 lb. Net. Each 66.50

SPECIFICATIONS

Weight	Diam.	Width	Total Height
75 lbs.	4 "	15 3/4 "	39 "
100 lbs.	4 1/4 "	15 3/4 "	40 "
150 lbs.	5 1/4 "	15 3/4 "	40 1/2 "

Diagram graphically shows diameter comparisons between cast iron, steel and Crain Rollers

SMALL TILE ROLLERS



No. 1421

Steel rollers polished to mirror finish. Ball bearings for smooth action. Strong case-hardened steel brackets. Heavy duty, comfortable wood handles.
No. 1421 Net Ea. \$3.60


CRAIN TILE CUTTERS



"Junior" Model A Cutter Resilient Tile

Has adjustable knife, for cutting asphalt, rubber, cork, plastic, and linoleum tiles. Adjustment screws in posts at sides of knife. Guaranteed by Crain.


- 9-1350 Crain "Junior" Model A Tile Cutter Complete. Net Price **\$59.50**
- 9-1350-UBL Replacement Top (Movable) Blade for above. Net **\$6.50**
- 9-1350-LBL Stationary (Lower) Blade **\$6.00**



Crain's "Special 9" Cut-O-Matic" . . . for Resilient Tile, Including Vinyl

Specifically designed for fast work with all kinds of resilient tiles, including vinyl and vinyl asbestos. Mounted on roller casters. Use in small areas. Tile guide and calibrated inch rule. Can be used without automatic feature.


- 9-1352 Cutter Complete. Net **\$72.95**
- 9-1352-UBL Top Blade only. Net **6.00**
- 9-1352-LBL Bottom Blade only. Net **5.75**



Crain's "M2 Master Cut-O-Matic" . . . Blade Adjusts for all Resilients

A lightweight cutter designed for heavy-duty. Makes smooth straight or diagonal cut. Adjustment screws for asphalt, rubber, cork, plastic and linoleum tiles. Gauge to cut 1/16" short for working to an uneven wall.

- 9-1354 Cutter Complete. Net Price **\$89.50**
- 9-1354-UBL Top Blade only. Net **6.50**
- 9-1354-LBL Bottom Blade only. Net **6.00**



Crain's "Vinyl Special 18" Designed to Cut Vinyl Tile up to 12-In.

Two guides permit either straight or diagonal cuts. Cuts any type of vinyl up to 12" and will cut two 9" tiles at the same time. Guaranteed by Crain.



- 9-1358 Cutter Complete. Net **\$127.50**
- 9-1358-UBL Top Blade only. Net **15.00**
- 9-1358-LBL Lower Blade only. Net **13.50**

PLASTIC LAMINATED CUTTERS

LAMINATE SHEARS New improved plastic laminate shears. Cuts all types of plastic laminate material. Patented double action. Hardened steel cutting blades cut without binding and will not crack or chip the laminate surface.

No. 10 Plastic Laminate Shears

Net Each \$7.50



PEARSON LAMINATE CUTTER. Simple shearing action cuts quick and clean. Operate with short, firm strokes of handle making progressive straight cuts of approximately 3" or less.

Pearson Laminate Cutter. Net each \$7.50



SCORE AWL Plastic Laminate Cutter. Another popular and inexpensive tool for laminate cutting. The carbide tipped blade simply scores through the decorative surface and the material breaks cleanly away along the scored line.

No. 10 Score Awl Plastic Laminate Cutter

Net Each \$3.00


Score Awl Plastic Laminate Blades

Net Each \$1.50

TEC MOULDED RUBBER FLOAT

Finest quality moulded rubber float face fitted with natural wood handle. The texture of this float is as even and fine as you will ever get anywhere. For quick and efficient grouting of ceramic tiles.


Rubber Float Net Each \$1.50



Quality Cutters for Ceramic Tile

For Professional, Heavy-Duty Service

**Straight or
Angle Cuts
Up to 7"
Tile**



For all standard thickness; all sizes to 7 In. square. Adjustable "A" type handle to keep adjusted to bar. Only one moving part. Tile supported over breaking bar by 2 sponge rubber cushions.

Protractor hand tool for cutting at any desired angle. Heavy aluminum alloy frame. Six-wheel scoring turret standard equipment. For even better cutting, order separately Superior cutting assembly No. 400 below—easily placed on this cutter.

9-11-A Complete Cutter. Net Ea. ... **\$13.50**

9-400-1 Superior wheel assembly with 1/2 in. wheel. Net Each set .. **\$3.50**

Junior Ceramic Tile Cutter

Basic construction similar to above professional model. Has 3-in. working table to right of breaker ridge; 2-in. table on left. Three wheel scoring turret is standard equipment. For better cutting, order separately and install Wheel Assembly No. 400 (below) with 1/2 in. wheel.

Although small, this tool is well made and will give long satisfactory service. Will pay for itself on one sizeable job.

9-00 Junior Ceramic Cutter. Net Ea. ... **\$10.30**


9-400-1 Superior Wheel Assembly with 1/2 in. Wheel. Fits Ceramic Tile Cutters on this page. Net Ea. **\$3.50**

**For Tile
Up to
6 In.**



CARBIDE WHEELS for tile cutter Ret. Ea. \$4.00

CERAMIC NIPPERS



These 8 inch nippers have offset cutting jaws 1/2 inch wide. Carboloid cutting edge, inserted into these nippers give 10-12 times longer service than tempered steel. These nippers are the very finest obtainable and are a must for every ceramic tile mechanic.

80N 8" Domestic Offset Nippers	6.30 ea.
8" Japanese Offset Nippers	3.50 ea.
8" Japanese Offset Nippers. Lots of 12	2.95 ea.
Tile Scribe with Carbide Tip	1.45 ea.


Selck PRECISION MITER BOXES



Selckraft MOST POPULAR

All-steel, with exclusive features. Cross bars at both ends hold rigid alignment. Bars and sides drilled and tapped so bolts hold metal work firmly. Easily readjusted should box be jarred out of alignment.


Overall length 10-1/8 in. Width 2 in. Cuts to depth of 1-5/8 in. Easily carried. Mechanics favorite for cutting metal molding. 9-1492 Weighs only 5 lbs. Net dealer price..... \$9.30



Selck's "CHICAGO"

Small, accurate, economical. Case-hardened steel sides can't warp. Hardwood block for clean cuts through without dulling saw. Base sets into sides; C-clamps hold work firmly as box sets flush on surface. Overall 8 in. long. Height 2-3/4 in. Fits neatly in tool box. Makes cuts to 1-3/4 in. deep and 7/8 in. wide.

9-1491 Box with 2 clamps. Net..... \$6.55
9-1490 Box only (no clamps). Net..... 6.40



Cadmium plated
case-hardened steel



BIG "AIRWAY" BOX

A Selck box for precision cutting of nearly all metal and wood moldings. Demountable. Three pieces bolt firmly together. Lgth. 11 in.; width 2-3/8 in.; ht. 2-1/2 in. Has 1/2-in. non-skid apron. Sides 3/16-in.; base 1/4-in. steel. Compact; easy to carry. A durable, accurate professional tool.



9-201 Dealers' net price \$10.60

Popular, Low-cost ADHESIVE SPREADERS

MS-25	5" Spreader	Net. doz.	\$2.30
MS-91	9" Spreader	Net. doz.	\$2.75
MS	3" Spreader	Net. doz.	\$3.00



Wall-Master SECTIONAL ROLLER



For One- or Two-Handed Work, as Required

Single resilient $\frac{1}{2}$ -in. rubber roller, 5 in. wide, rolls freely, won't mar. Eliminates air pockets; won't bunch adhesive. Light aluminum handle, bracket. Strong and rigid for heavy pressure. Use full 36 in., or 18-in. section alone. Roller and bracket come apart for easy cleaning.

9-388 Wall-Master Roller. Net each \$10.50


Indispensable Tools for Floor Covering Men

FLOORMASTER $\frac{1}{4}$ -RD. LIFTER. Lifts base at angle of nails. Wide pry edge protects wood. Lifts; then gently pries. Notch pulls brads.

9-1437 Tool Steel, $\frac{1}{2}$ " x 11". Lifter, Net \$1.95



Airway OPEN-END ROLLER



The Perfect Roller for Walls, Countertops

- Gets in All those Tight Places
- 3 Rollers for Smooth, Tight Turns
- Easy 2-hand Grip for Pressure

An exclusive design in a professional roller, for easy control and sure application throughout an area.

Use on laminates, resilient tile and sheet goods—get fast, smooth pressure for complete bonding. Gray hard rubber rollers will not mar or score. Width 6-3/4 in. Length 29 in.



9-333 Open-End Roller. Net \$8.20


Selckraft CHICAGO ROLLER

A versatile hand roller for getting the job done in tight places. Easily handled, compact. Use on counter tops, cove base, stair treads—wherever materials are cemented in place.

Four separate rubber rollers for easy turning at sharp angles. Heavy 5/32" steel ends. Sturdy, comfortable grip, with deep finger grooves. Weighs only 12 Oz.

9-344-Roller. Net..... \$3.30






NEW! CARPET SAW

- Cuts Clean—Straight or Curves
- Cuts up to 50 Feet Per Minute
- Cuts All Carpeting, Paddings

A fast, lightweight electric cutter for use in workroom and on the job. Cuts from either side of material. Glides along smoothly on floor or other under-surface. Each blade cuts approximately 3,000 ft. before sharpening. Easily resharpened or replaced. Economical.

9-1360 Complete, Net \$69.50
9-1361 Extra Blade, Net \$ 1.50



● **ADJUSTABLE HOLE SAW—CARBIDE TIPPED**—This brand new carbide tipped hole cutter fits in any $\frac{1}{4}$ " electric drill or drill press chuck. Adjusts instantly by rotating knurled ring. Cuts holes any diameter from $1\frac{1}{8}$ " to $2\frac{1}{2}$ " in seconds. No chipping. No hammer, no vise needed. Perfect holes every time. All metal construction. Rugged. Cleverly designed.

12 208 H7....\$19.50

● **REPLACEMENT CARBIDE TIPS FOR HOLE SAW**—Set of three replacement tips for above hole saw.

12 209 H7....\$7.98

c. a. newell company, inc.

735 NORTH NORTHLAKE WAY

SEATTLE 3, WASHINGTON

Lester Howard
6813 East 60th
Puyallup, Wash.

